

Article DOI: 10.21474/JNCS01/147

DOI URL: <http://dx.doi.org/10.21474/JNCS01/147>

AUTOMATED SOFTWARE TESTING USING ARTIFICIAL INTELLIGENCE: TECHNIQUES AND FUTURE PERSPECTIVES

Faisal Ahmad and Lone Ishrat

Corresponding Author: Faisal Ahmad

| ABSTRACT

Software testing is an essential phase of software development that helps identify defects, verify functionality, and improve software reliability. However, traditional testing approaches often require considerable time, manual effort, and maintenance, particularly in complex applications. Artificial intelligence (AI) offers new opportunities to automate testing activities by learning from software data, generating test cases, predicting defects, and optimizing testing processes. This paper presents a narrative review of AI-based automated software testing techniques, including machine learning, deep learning, reinforcement learning, natural language processing, and large language models. It discusses their applications in test case generation, defect prediction, test case prioritization, regression testing, and test script maintenance. The paper also examines important challenges, including data quality, model reliability, explainability, computational cost, and integration with existing software development workflows. Finally, it identifies future research directions involving trustworthy AI, adaptive testing, standardized evaluation benchmarks, and human-AI collaboration. The review indicates that AI can support more efficient and adaptable testing, although human oversight and systematic validation remain necessary for dependable software quality assurance.

| KEYWORDS

Artificial Intelligence, Automated Software Testing, Machine Learning, Test Case Generation, Defect Prediction, Regression Testing, Software Quality Assurance, Large Language Models.

| ARTICLE INFORMATION

RECEIVED: 04 June 2026

ACCEPTED: 10 July 2026

PUBLISHED: August 2026

Introduction:-

Software testing plays a fundamental role in the software development lifecycle. It helps determine whether an application satisfies its requirements and behaves as expected under different operating conditions. As software systems become increasingly complex, conventional testing methods can require substantial manual effort, particularly when applications undergo frequent updates or contain numerous interacting components. Automated software testing reduces repetitive manual activities by executing predefined test cases and comparing actual outcomes with expected results. However, conventional automation still faces challenges such as test script maintenance, limited test coverage, test data preparation, and the selection of appropriate test cases. These limitations have encouraged researchers to investigate artificial intelligence as a means of improving the automation and adaptability of software testing.

AI-based testing uses computational techniques to analyze software artifacts, identify patterns, generate test inputs, and support testing decisions. Machine learning can identify patterns associated with software defects, while deep learning can support complex test generation tasks. Natural language processing can transform requirements into potential test scenarios, and reinforcement learning can help optimize testing strategies through feedback. Recent research has examined the integration of machine learning into automated test generation and the wider use of AI in software testing. Fontes et al. (2023) conducted a systematic mapping study of machine learning techniques used in automated test generation. Their work illustrates the range of testing activities supported by learning-based methods. More recent reviews have also examined the development of AI-driven testing techniques and the challenges associated with their practical application. The purpose of this paper is to review major AI techniques used in automated software testing, discuss their benefits and limitations, and identify future research opportunities.

Objectives of the Study:-

The main objectives of this paper are:-

1. To examine the role of artificial intelligence in automated software testing.
2. To review major AI techniques used for test generation and test optimization.
3. To discuss applications of AI in defect prediction, regression testing, and test maintenance.
4. To identify the technical and practical limitations of AI-based testing.
5. To explore future research directions for intelligent software quality assurance.

Research Methodology:-

This paper adopts a narrative literature review approach. It synthesizes published research concerning artificial intelligence, machine learning, and automated software testing. Relevant studies are considered in relation to their testing objectives, AI techniques, application areas, reported benefits, and limitations. The discussion draws on research publications concerning automated test generation, systematic reviews of AI in software testing, and studies examining AI-assisted test automation. Particular attention is given to techniques that support test design, defect detection, test prioritization, and test maintenance. The review is intended to provide a structured conceptual overview rather than report a new controlled experiment. No original software-testing dataset, experimental measurements, or independently calculated performance results are claimed. A systematic review intended for formal publication should additionally document its databases, search strings, publication period, screening criteria, and selected studies.

Artificial Intelligence in Automated Software Testing:-

Artificial intelligence refers to computational methods that perform tasks commonly associated with human intelligence, including learning, reasoning, pattern recognition, and language processing. In software testing, AI can assist testers in selecting test cases, generating inputs, identifying potentially defective components, and adapting testing activities as software changes. Traditional automated testing typically follows predefined instructions. AI-supported testing can additionally use historical data, code structure, execution traces, requirements, and feedback to recommend or generate testing activities. The major difference is that AI-based methods can learn patterns or produce candidate testing artifacts rather than relying exclusively on manually specified rules. Nevertheless, generated test cases and predictions must be validated because an AI system may produce incorrect, redundant, or incomplete outputs.

Major AI Techniques for Automated Software Testing:-

Machine Learning:-

Machine learning (ML) enables systems to identify patterns in data and use them to make predictions or recommendations. In software testing, supervised learning can use labelled historical data to predict defect-prone modules, while unsupervised learning can help identify unusual patterns in software behavior. Machine learning can also assist with test case prioritization by estimating which tests are more likely to reveal defects or provide useful coverage. The effectiveness of these methods depends on the quality, relevance, and representativeness of the training data.

Deep Learning:-

Deep learning uses multilayer neural networks to learn complex representations from large datasets. In software testing, it can be applied to source-code analysis, log analysis, interface recognition, and test generation. Deep learning models may identify patterns that are difficult to capture through manually defined rules. However, their training and deployment can require substantial computational resources. Their predictions may also be difficult to interpret, making independent validation important.

Natural Language Processing:-

Natural language processing (NLP) allows computer systems to analyze and generate human language. Software requirements, user stories, bug reports, and documentation often contain information useful for test design. NLP techniques can extract requirements, identify expected system behavior, and generate candidate test scenarios from textual descriptions. These methods may help connect requirements with testing activities. However, ambiguous language, missing context, and inconsistent documentation can lead to inaccurate test cases.

Reinforcement Learning:-

Reinforcement learning (RL) involves an agent learning to select actions through interaction with an environment and feedback based on its actions. In automated software testing, reinforcement learning can support decisions about which actions or test inputs to execute next. For example, an agent may explore application states and prioritize actions that increase coverage or help reveal unexpected behavior. Such methods are particularly relevant to complex applications with many possible execution paths. Their limitations include exploration cost, reward-function design, and the difficulty of transferring learned strategies between different applications.

Large Language Models:-

Large language models (LLMs) can process natural-language requirements and source code to generate candidate unit tests, test scenarios, test data, and explanations. They can also assist with understanding existing test suites and suggesting updates when application behavior changes. These capabilities may reduce the effort required to create initial test artifacts. Nevertheless, generated tests can contain incorrect assumptions, fail to compile, reproduce existing coverage without adding value, or overlook important edge cases. Therefore, generated code must be executed, reviewed, and evaluated using appropriate testing criteria.

Applications of AI in Automated Software Testing:-

Automated Test Case Generation:-

Test case generation involves creating inputs and execution scenarios that examine specified software behavior. AI techniques can use source code, requirements, previous test cases, and execution information to propose new test cases. Machine learning and search-based approaches can help explore complex input spaces, while language models can produce candidate tests from natural-language descriptions or code context. The quality of generated tests should be assessed through correctness, coverage, fault detection, and redundancy.

Software Defect Prediction:-

Defect prediction estimates the likelihood that a software component contains defects. Models may use information such as code complexity, previous defects, change frequency, and development history. These predictions can help teams allocate testing resources to components considered higher risk. However, predictions depend on historical data and may not generalize to new projects, programming languages, or development environments.

Test Case Prioritization:-

Large test suites can take considerable time to execute. Test case prioritization arranges tests so that those expected to provide the greatest benefit are executed earlier. AI models can use historical failures, code changes, coverage information, and execution results to estimate test importance. This can be useful in continuous integration environments where rapid feedback is required. Prioritization should not permanently exclude lower-ranked tests, as doing so may allow defects to remain undetected.

Regression Testing:-

Regression testing checks whether software modifications have introduced new defects or affected existing functionality. Maintaining regression test suites can become difficult when applications are updated frequently. AI can support the selection of relevant tests based on changed code, historical failures, dependencies, and execution data. Intelligent methods may also recommend new tests when the existing suite does not adequately cover modified behavior. Final test selection should consider both execution efficiency and the risk of missing defects.

Automated Test Maintenance:-

Automated test scripts may become unreliable when user interfaces, application workflows, or internal software structures change. AI-assisted maintenance can help identify outdated selectors, detect changes in interface elements, and suggest repairs to broken test scripts. These methods can reduce repetitive maintenance work, but automatic repairs must be checked carefully. A script that executes successfully after repair may still test the wrong behavior or fail to detect a genuine defect.

GUI and Model-Based Testing:-

Graphical user interface (GUI) testing examines software through its visible controls and interaction sequences. Computer vision and learning-based methods can recognize interface elements and support automated navigation. Model-based testing represents application behavior through states, transitions, or other structured models. AI can help explore these models and select promising paths. Challenges include dynamic interfaces, unexpected states, and maintaining reliable models as applications evolve.

Benefits of AI-Based Automated Testing:-

AI-supported testing offers several potential benefits:-

Reduced repetitive effort: AI can assist with generating test candidates, analyzing logs, and identifying tests that require attention.

Improved testing prioritization: Predictive methods can help focus resources on components or scenarios associated with greater risk.

Adaptability: Learning-based techniques may adjust their recommendations as new execution results and software changes become available.

Support for complex applications: AI can help explore large input spaces, complicated interfaces, and interactions that are difficult to enumerate manually.

Integration with continuous delivery: When integrated responsibly into automated development pipelines, AI-supported testing can provide faster feedback during frequent software updates. These benefits are not guaranteed in every setting. They depend on the selected technique, available data, application characteristics, evaluation methods, and quality of implementation.

Challenges and Limitations:-

Data Quality and Availability:-

Many AI techniques require relevant training or historical data. Incomplete defect records, inconsistent labels, and unrepresentative test histories can reduce model reliability. Organizations may also have limited access to suitable datasets because of privacy or confidentiality requirements.

Test Oracle Problem:-

A test oracle determines whether a program's output is correct. Generating test inputs does not automatically provide a reliable way to determine expected results. AI may generate plausible-looking tests without establishing whether their assertions correctly represent the requirements. Developing reliable test oracles remains an important challenge, particularly for systems with complex outputs or incomplete specifications.

False Positives and False Negatives:-

AI-based predictions may identify a component as defective when it is not, or fail to flag a component that contains a defect. Excessive false alarms can waste testing resources, while missed defects can undermine software reliability. Models therefore require suitable evaluation and continuous monitoring.

Explainability and Trust:-

Test engineers need to understand why a model prioritizes a test, flags a component, or recommends a particular action. Some AI systems provide limited explanations for their outputs. Explainability, traceability, and access to supporting evidence are important for reviewing automated decisions.

Computational Cost and Integration:-

Training, running, and maintaining AI models can require additional infrastructure and expertise. Integration with existing testing frameworks, source-control systems, and continuous integration pipelines may also create technical complexity.

Security and Privacy:-

Source code, logs, test data, and application information may contain confidential or sensitive material. AI-assisted testing must account for data protection, access controls, and risks arising from untrusted inputs or externally hosted models.

Evaluation and Reproducibility:-

Different studies may use different datasets, test environments, metrics, and baselines. This makes comparisons between techniques difficult. Reproducible evaluations should document experimental settings, model configurations, datasets, and limitations.

Future Perspectives:-

Explainable and Trustworthy AI:-

Future research should develop testing systems that provide understandable reasons for their recommendations and make it possible to trace generated test cases to requirements, code changes, or observed failures. Trustworthy testing requires evidence of correctness rather than reliance on model confidence alone.

Adaptive and Self-Healing Testing:-

Adaptive testing systems could use execution feedback and software changes to update test selection and identify scripts requiring maintenance. Future work should ensure that self-healing mechanisms preserve the original testing objective and do not silently remove important assertions.

AI Agents for End-to-End Testing:-

AI agents may coordinate multiple testing activities, including requirement analysis, test generation, execution, failure analysis, and reporting. Research is needed to establish reliable controls, reproducibility, bounded permissions, and independent validation for these workflows.

Hybrid AI Approaches:-Combining machine learning with conventional testing techniques, symbolic execution, search-based testing, and formal methods may improve reliability. Hybrid systems can use AI to propose promising test inputs while relying on established verification procedures to validate important properties.

Standardized Benchmarks:-Shared datasets, consistent evaluation metrics, and reproducible test environments are needed to compare AI testing approaches fairly. Evaluation should measure not only test coverage but also fault detection, execution cost, maintenance effort, test validity, and the rate of incorrect generated tests.

Human–AI Collaboration:-AI is likely to be most useful when it supports rather than completely replaces testing professionals. Test engineers can define objectives, examine generated tests, assess unexpected outputs, and ensure that testing aligns with business and safety requirements.

Testing AI-Based Software:-As AI becomes part of software applications, testing must also address model-specific risks such as unpredictable outputs, data dependence, bias, and changing model behavior. Future testing frameworks should combine conventional software verification with techniques designed to assess AI components and their interactions with the surrounding system.

Discussion:-

The reviewed literature demonstrates that AI-based software testing is a broad research area involving test generation, defect prediction, test prioritization, regression testing, and maintenance. Different techniques address different problems, and no single method is suitable for every testing context. Machine learning is useful when meaningful historical data is available. NLP and large language models can assist with interpreting requirements and creating candidate test artifacts. Reinforcement learning can support exploration and sequential decisions, while computer vision can help automate interaction with graphical interfaces. However, improvements in automation should not be treated as equivalent to improvements in software quality. A larger number of generated tests may provide little benefit if the tests are invalid, redundant, or unable to detect faults. Similarly, faster test execution does not necessarily demonstrate that important requirements have been adequately verified. Consequently, practical evaluation should consider multiple dimensions, including test validity, fault detection, coverage, maintenance cost, reproducibility, and human review requirements. The integration of AI with established testing practices offers a promising direction, provided that generated outputs remain subject to appropriate verification.

Conclusion:-

Artificial intelligence is creating new opportunities for automated software testing by supporting test case generation, defect prediction, test prioritization, regression testing, and test maintenance. Machine learning, deep learning, natural language processing, reinforcement learning, computer vision, and large language models each provide different capabilities for improving testing workflows. At the same time, AI-based testing faces important challenges involving data quality, test oracle reliability, false predictions, explainability, privacy, computational cost, and reproducibility. These limitations demonstrate the need for systematic evaluation and human oversight. Future research should focus on trustworthy AI, adaptive testing systems, hybrid verification methods, standardized benchmarks, and effective human–AI collaboration. Rather than treating AI as a complete replacement for established testing practices, researchers and practitioners should integrate it as a complementary approach that supports more efficient, comprehensive, and dependable software quality assurance.

References:-

1. Fontes, E., et al. (2023). The integration of machine learning into automated test generation: A systematic mapping study. *Software Testing, Verification and Reliability*, 33(4), e1845. <https://doi.org/10.1002/stvr.1845>
2. Artificial Intelligence in Software Testing: A Systematic Review. (2023). *Proceedings of the IEEE Region 10 Conference (TENCON 2023)*. <https://doi.org/10.1109/TENCON58879.2023.10322349>
3. Artificial Intelligence in Software Testing: A Systematic Review of a Decade of Evolution and Taxonomy. (2025). *Algorithms*, 18(11), 717. <https://www.mdpi.com/1999-4893/18/11/717>
4. Ricca, F., Marchetto, A., & Stocco, A. (2024). A multi-year grey literature review on AI-assisted test automation. Preprint. <https://arxiv.org/abs/2408.06224>
5. Architectural perspectives on GenAI-driven software testing systems: A systematic literature review. *Information and Software Technology*. <https://doi.org/10.1016/j.infsof.2026.108246>
6. AI-Driven Software Testing: A Review. (2026). *Big Data and Cognitive Computing*, 10(7), 233. <https://doi.org/10.3390/bdcc10070233>